

		LycoRed Bio Ltd. Yavne Technology Park P.O. Box 344, Yavne 81103, Israel Tel: 972 8 9420930, Fax: 972 8 9420928 info@lycored.com www.lycored.com	
Subject:	DATA SHEET	Version: 05	Date: November 2005
Product:	CapsuDar[®] FePyr 60 LP		

Catalogue Number: 15500

Description: **CapsuDar[®] FePyr 60 LP** is a microencapsulated ferric pyrophosphate. It is a fine, free flowing powder coated with hydrogenated palm oil.

Specifications:

Appearance:	fine, off-white, free flowing powder.
Particle size:	50-1000 μ (325–18mesh)
Fe ₄ O ₂₁ P ₆ content:	58% (140 mg /g) min.
Taste:	Tasteless
Bulk density:	~0.8 g/ml

Stability and Storage: Upon storage in a dry place at room temperature this material will keep its properties for at least two years.

Packing: As required by customer. Preferably 25 kg rectangular carton.

Applications: Used for tablet compression and capsule filling.

Processing: The material should be used as powder. Material might need delumping by sieving it on 1000 μ to 2000 μ sieve.

The material should not be crushed or milled before or during processing as it might break the microcapsules.

Regulation: All ingredients are Kosher food quality materials and are approved by USA FDA and European authorities. The product is GMO-free.

Safety: This product is safe for intended use. Avoid inhalation of dust or contact with eyes and mucous membranes by applying suitable protective measures and personal hygiene.